VOLUME CONTENTS

NO. 1 FEBRUARY

L. U. Lamm. Editorial 1

F. Kievits, G. M. van Bleek, W. J. Boerenkamp, M. Pla and P. Ivanyi. Specificity of anti-H-2 class I antibodies induced by syngeneic immunization with Sendai virus-treated cells is regulated by the mouse MHC and viral antigens. No evidence for MHC-restricted virus-specific antibodies. 3

J. Le Pendu, A. M. Dalix, R. Mollicone, K. Crainic and R. Oriol. Expression of ABH, Lewis and related tissue antigens in the human thymus. 19

B. A. Houlden, I. F. C. McKenzie and P. M. Hogarth. Cross-linking of *Ly 6*-linked alloantigens: association between ThB and Ly 5 33

C. De Giovanni, G. Nicoletti, B. Del Re, J. Scotlandi, G. Prodi, P. -L. Lollini and P. Nanni. Tumorigenic and metastatic ability of SV40-transformed BALB/c cell lines and MHC antigen expression 45

J. Le Pendu. A hypothesis on the dual significance of ABH, Lewis and related antigens 53

N. Sittisombut, R. G. Tissot and K. L. Knight. Rabbit major histocompatibility complex. III. Multiple class II DRβ genes and restriction fragment length polymorphism of the class II α and β genes. 63

M. J. Stear, T. S. Pokorny, S. E. Echternkamp and D. D. Lunstra. The influence of the *BoLA-A* locus on reproductive traits in cattle 77

NO. 2 APRIL

SINGLE-SUBJECT ISSUE ON IMMUNOMAGNETIC TECHNIQUES

L. U. Lamm. Editorial 89

R. Padmanabhan, C. Corsico, W. Holter, T. Howard and B. H. Howard. Purification of transiently transfected cells by magnetic-affinity cell sorting. 91

A. P. Gee, V. Mansour and M. Weiler. T-cell depletion of human bone marrow . . 103

C. S. Owen. Magnetic cell sorting using colloidal protein–magnetite 117

V. Combaret, M. C. Favrot, F. Chauvin, E. Bouffet, I. Philip and T. Philip. Immunomagnetic depletion of malignant cells from autologous bone marrow graft: from experimental models to clinical trials. 125

T. Hansen and K. Hannestad. Direct HLA typing by rosetting with immunomagnetic beads coated with specific antibodies. 137

G. J. Laundy, M. Peberdy, P. T. Klouda and B. A. Bradley. Applications of automated simultaneous double fluorescence (SDF). II. HLA class I phenotyping using immunomagnetically separated T lymphocytes. 141

H. Grosse-Wilde and I. Doxiadis. Allotyping for HLA class I using plasma as antigen source 149

D. A. Schmitt, D. Hanau and J.-P. Cazenave. Isolation of epidermal Langerhans cells 157

G. Gaudernack and K. E. A. Lundin. Rapid immunomagnetic phenotyping of cells 169

J. E. Brinchmann, T. Leivestad and F. Vartdal. Quantification of lymphocyte subsets based on positive immunomagnetic selection of cells directly from blood. 177

K. E. A. Lundin, E. Ovigstad, L. M. Sollid, H. A. Gjersten, G. Gaudernack and E. Thorsby. Positive selection of TAc-(CD25) positive cells following T-cell activation 185

NO. 3 JUNE

ORIGINAL ARTICLES

L. DICKSON, P. I. RICHMAN, M.-A. SHAW, A. S. R. DONALD AND D. M. SWALLOW. Three antibodies to human intestinal brush border membrane are characterized as anti-Le^a 193

P. GIACOMINI, R. TECCE, M. R. NICOTRA, B. B. COHEN, M. C. MAZZILLI AND P. G. NATALI. mAb KUL/05 identifies a denaturation-resistant determinant shared by class II MHC products DR, DQ and DP 203

S. WEISS, Y. UEMATSU, L. D'HOOSTELAERE AND A. ALANEN. Gross genetic differences among substrains of NZB mice 217

P. BOBÉ AND N. KIGER. Immunogenetic studies of spontaneous abortion in mice. III. Non-H-2 antigens and gestation 223

D. I. WATKINS, J. A. SHADDUCK, M. E. STONE, H. A. LEWIN AND N. L. LETVIN. Isoelectric focusing of bovine major histocompatibility complex class I molecules 233

SHORT COMMUNICATION

J. R. NEEFE, J. A. TREAT, B. K. CHUN, P. S. SCHEIN AND A. H. JOHNSON. Lack of common haplotype among four family members with late-onset Kaposi's sarcoma 247

BOOK REVIEWS 251

ANNOUNCEMENT 253

NOS. 4/5 AUGUST/OCTOBER

OBITUARY 255

ORIGINAL ARTICLES

G. ANDERSON & C. DAVID. Role of MHC-Mls and TCR in immune tolerance 257

M. OUDSHOORN-SNOEK & P. DEMANT. Qa-12—a novel determinant of activated T and B lymphocytes 263

N. MOONEY, C. HIVROZ, S. ZIAI-TALEBIAN, C. GRILLOT-COURVALIN & D. CHARRON. Signal transduction via MHC class II antigens on B lymphocytes 273

E. H. WEISS, D. BEVEC, G. MESSER, S. SCHWEMMLE, C. GROßHAUS, M. SEINMETZ & W. SCHMIDT. Organization of the AKR Qa region: structure of a divergent class I sequence Q5^k 283

A. PORGADOR, M. FELDMAN & L. EISENBACH. H-2K^b transfection of B16 melanoma cells results in tumourigenicity and metastatic competence 291

J. GOPAS, B. RAGER-ZISMAN, I. HAR-VARDI, G. J. HAMMERLING, M. BAR-ELI & S. SEGAL. NK sensitivity, H-2 expression and metastatic potential: analysis of *H-2D^k*-gene transfected fibrosarcoma cells 305

B. SELIGER & K. PFIZENMAIER. Post-transcriptional downregulation of MHC class I expression in oncogene-transformed cells is reverted by IFN-Gamma and TNF-Alpha 315

A. CABALLERO, A. GARRIDO, I. ALGARRA, M. PEREZ & F. GARRIDO. Generation of syngeneic anti-tumour double negative cells (CD4$^-$ CD8$^-$) with cytotoxic activity against clones of different MHC class I expression 321

H. FESTENSTEIN. Molecular features of the H-2 class I and Qa antigens expressed on gross virus induced AKR leukaemia 329

B. C. SIM & K. M. HUI. Cloning and characterization of a polymorphic class I MHC gene in the AKR lymphoma K36.16 335

S. OSTRAND-ROSENBERG, V. K. CLEMENTS, A. THAKUR & G. A. COLE. Transfection of major histocompatibility complex class I and class II genes causes tumour rejection 343

G. D. Brown & D. Meruelo. Radiation leukemia virus and its effect on H-2 gene expression 351

J. M. Vogel, M. McMillan, W. J. Martin & R. S. Goodenow. Evidence that derivation of the adenocarcinoma LT85 predated establishment of the H-2^{km2} mutation in a C3Hf colony of mice 363

O. E. A. Marelli, P. Franco, M. O. Labeta & H. Festenstein. Functional studies of H-2^k-like epitopes on DTIC treated and untreated L1210 (H-2^d) clones 373

R. T. D. Oliver, A. M. E. Nouri, D. Crosby, R. L. Iles, C. Naverette, J. Martin, W. Bodmer & H. Festenstein. Biological significance of beta hCG, HLA and other membrane antigen expression on bladder tumours and their relationship to tumour infiltrating lymphocytes (TIL) 381

T. F. Rinke de Wit, A. A. Vloemans, P. J. van den Elsen, J. Ward, R. C. Sutcliffe, J. Glazebrook, A. Haworth & L. Stern. Novel human MHC class I genes are expressed by tumour cell lines representing embryonic and extraembryonic tissues . 391

M. Teh & K. M. Hui. Modulation of MHC gene expression in human breast carcinoma cells by hormones. 397

J. Pena, R. Solana, M. C. Alonso, M. Santamaria, R. Serrano, R. Ramirez & J. Carracedo. MHC class I expression on human tumour cells and their susceptibility to NK lysis 407

A. Ferrron, M. Perez-Ayala, A. Concha, T. Cabrera, M. Redondo, M. R. Oliva, F. Ruiz-Cabello & F. Garrido. MHC class I and II antigens on gastric carcinomas and autologous mucosa. 413

Announcements 425

NO. 6 DECEMBER

Original Articles

V. Trejo, O. Talamas, G. Granados, L. Castro, M. T. Rabiela, J. Sotelo and C. Gorodezky. What is the significance of the presence of MHC molecules on the surface of parasites in human neurocysticercosis 427

C. Rohowsky-Kochan, R. Troiano and D. S. Cook. MHC-restricted autoantigen-reactive T cell clones in multiple sclerosis 437

Y. Fukui, Y. Nishimura, T. Iwanga, A. Kimura, T. Inamitsu, Y. Hanaoka, T. Kitigawa and T. Sasazuki. Glycosuria and insulitis in NOD mice expressing the HLA-DQw6 molecule 445

K. Badenhoop, G. Schwarz, P. Bingley, J. Trowsdale, K. H. Usadel, E. A. M. Gale and G. F. Bottazzo. TNF-alpha gene polymorphisms: association with type 1 (insulin dependent) diabetes mellitus. 455

L. Fugger, N. Morling, K. Bendtzen, L. Ryder, V. Andersen, C. Heilman, F. Karup Pederson, J. Friis, P. Halbert and A. Svejgaard. IL-6 gene polymorphism in rheumatoid arthritis. Pauciarticular juvenile rheumatoid arthritis, systemic lupus erythematosus, and in healthy Danes 461

N. Odum, T. Saida, M. Ohta and A. Svejgaard. HLA-DP antigens and HTLV-1 antibody status among Japanese with multiple sclerosis: evidence for an increased frequency of HLA-DPw4 467

F. Takeuchi, K. Matsuta, Y. Watanabe, K. Tokunaga, T. Juji and T. Miyamoto. Susceptibility epitope on HLA-DR β chain for rheumatoid arthritis and the effect of the positivity on the clinical features 475

Acknowledgments. 485

Subject Index to Volume 16 487

Author Index to Volume 16 491